

Technical card


HAD

Technical data

Type	Dimensions [mm]					Heat transfer area [m2]	Tube diameter [mm]	Weight [kg]	Tube side volume [l]	Shell side volume [l]
	A	B	C	D	Dz					
HAD S0	401	938	1168	300	139,7	2,3	8	35	3,6	6,5
HAD S1	403	1020	1250	320	159	3,1	8	42	4,56	9,94
HAD 2.11.08.68	349	852	1088	245	80	0,6	8	25,6	1,8	2,5
HAD 2.11	349	1534	1770	245	80	1,2	8	36	2,8	3,5
HAD 3.18.08.75	384	948	1213	265	101,6	1	8	31,5	3,3	4,4
HAD 3.18	384	1540	1805	265	101,6	2	8	44,6	4,7	6,9
HAD 5.38.08.71	450	944	1249	305	139,7	2,3	8	47,6	6,6	8,9
HAD 5.38	450	1544	1849	305	139,7	4,3	8	66	9,5	12,8
HAD 6.50.08.72	497	960	1308	320	159	3	8	57	9,2	14
HAD 6.50	497	1545	1893	320	159	5,5	8	78,5	12,9	19,1
HAD 6.50.10	497	1545	1893	320	159	4,7	10	74,9	13,9	18,5
HAD 9.88.08.65	604	956	1376	385	219,1	4,9	8	81,8	16,8	29,1
HAD 9.88.08.85	604	1156	1576	385	219,1	6,3	8	95	18,8	33,4
HAD 9.88	604	1552	1972	385	219,1	10,6	8	120,6	25	38,3
HAD 9.88.10	604	1552	1972	385	219,1	7,7	10	110,8	24,6	36,5
HAD 12.114.08.50	670	834	1272	435	273	5,8	8	100,6	23,4	43

Type	Dimensions [mm]					Heat transfer area [m ²]	Tube diameter [mm]	Weight [kg]	Tube side volume [l]	Shell side volume [l]
	A	B	C	D	Dz					
HAD 12.114.08.60	670	934	1372	435	273	6,4	8	107,1	24,2	47,3
HAD 12.114.08.75	670	1084	1522	435	273	8,8	8	123,3	27,7	50,7
HAD 12.114	670	1736	2174	435	273	18,2	8	187,8	41,4	67,6
HAD 12.114.10	670	1736	2174	435	273	18,6	10	193,8	51,1	53,2

Technical drawing



Typoszereg

